


T-FENCE



PREGLED SISTEMA/SYSTEM OVERVIEW

DESIGNED AND MANUFACTURED BY TEHNOMARKET





T-FENCE
2023.03

PREGLED SISTEMA
SYSTEM OVERVIEW

DESIGNED AND MANUFACTURED BY TEHNOMARKET



Opis sistema

Sistem aluminijumskih ograda T-FENCE nudi izuzetne mogućnosti prilikom uređenja spoljnih prostora i nudi razne mogućnosti za unapređenje estetike i privatnosti. Više opcija stubova i profilnih lamela omogućuju različite kombinacije i varijacije u izgledu gotovih ograda. Proces montaže je suv, bez potrebe za površinskom zaštitom obrada stubova ili lamela, dok ograde postaju funkcionalne odmah po završetku instalacije. Sistem profila T-FENCE namenjen je izradi ograda na rezidencijalnim, poslovnim, javnim, industrijskim i ugostiteljskim objektima.

PREDNOSTI SISTEMA

- jednostavna montaža
- podržane klasične i klizne kapije
- više opcija stubova i profilnih lamela
- maksimalna visina stubova 2200mm
- maksimalno rastojanje između stubova 2500mm
- više opcija površinske zaštite lamela i stubova

T-FENCE

tehničke karakteristike

primena	parkovi, bašte, dvorišta, poslovni, hotelski i ugostiteljski objekti
mogućnost ugradnje	na tlu, na zidu, na parapetnom zidu
način fiksiranja stubova	kotvama
način fiksiranja lamela	vijcima, zavarivanjem
vrste lamela	pravougaona sa mogućnošću preklapajuće ili vertikalne montaže
	briselej sa mogućnošću preklapajuće ili vertikalne montaže
	žaluzina sa mogućnošću preklapajuće montaže
vrste stubova	kvadratni profili: 80x80, 60x60, 40x60*
max. visina stubova	K80x80 - 2000mm*
	K40x60 - 1500mm*
	K60x60 - 1200mm*
max. raspon stubova	za pravougaonu lamelu - 2000mm*
	ostale lamele - 2500mm*
vrste otvora	jednokrilne i dvokrilne kapije sa šarkom
	klizne kapije
max. visina kapije sa šarkom	2000mm*
širina krila kapije sa šarkom	900mm - 1300mm
max. površina klizne kapije	9m²*
površinska obrada profila	plastifikacija ili eloksaža

*navedene dimenzije važe za opterećenje vetrom do 0.6kN/m²


MATERIJALI

- stubovi, lamele, ramovi - aluminijum (EN AW 6063, EN AW 6060)
- kotve - aluminijum
- sitni delovi - nerđajući čelik A2-70
- poklopci i rozetne - plastificirani čelik


Pregled sistema
System overview

T-FENCE


F01	0,827	kg/m`
S	3,01	cm²
Ix	17,93	cm⁴
Iy	10,86	cm⁴
Wx	3,59	cm³
Wy	4,18	cm³




F02	0,975	kg/m`
S	3,54	cm²
Ix	24,50	cm⁴
Iy	12,32	cm⁴
Wx	4,90	cm³
Wy	4,74	cm³




F03	0,725	kg/m`
S	2,64	cm²
Ix	19,77	cm⁴
Iy	1,94	cm⁴
Wx	4,94	cm³
Wy	1,94	cm³




TM90	1,069	kg/m`
S	3,89	cm²
Ix	26,65	cm⁴
Iy	1,54	cm⁴
Wx	5,33	cm³
Wy	1,54	cm³




F04	0,766	kg/m`
S	2,79	cm²
Ix	14,17	cm⁴
Iy	0,98	cm⁴
Wx	4,72	cm³
Wy	0,60	cm³




F05	0,452	kg/m`
S	1,64	cm²
Ix	2,44	cm⁴
Iy	0,87	cm⁴
Wx	1,63	cm³
Wy	0,62	cm³




K100100-2,5	2,681	kg/m`
S	9,75	cm²
Ix	154,58	cm⁴
Iy	154,58	cm⁴
Wx	30,92	cm³
Wy	30,92	cm³




K8080-2	1,716	kg/m`
S	6,24	cm²
Ix	63,32	cm⁴
Iy	63,32	cm⁴
Wx	15,83	cm³
Wy	15,83	cm³




K6060-1,3	0,839	kg/m`
S	3,05	cm²
Ix	17,54	cm⁴
Iy	17,54	cm⁴
Wx	5,85	cm³
Wy	5,85	cm³




K4060-1,7	0,903	kg/m`
S	3,28	cm ²
I _x	16,70	cm ⁴
I _y	8,88	cm ⁴
W _x	5,57	cm ³
W _y	4,44	cm ³




K4060-2,5	1,306	kg/m`
S	4,75	cm ²
I _x	23,47	cm ⁴
I _y	12,35	cm ⁴
W _x	7,82	cm ³
W _y	6,18	cm ³




L2060-2	0,429	kg/m`
S	1,56	cm ²
I _x	0,38	cm ⁴
I _y	5,93	cm ⁴
W _x	0,23	cm ³
W _y	1,62	cm ³




L2030-2	0,264	kg/m`
S	1,56	cm ²
I _x	0,32	cm ⁴
I _y	0,89	cm ⁴
W _x	0,21	cm ³
W _y	0,44	cm ³




F21
Poklopac stuba 60x60
Cover for 60x60 pillar




F20
Poklopac stuba 80x80
Cover for 80x80 pillar




F24
Poklopac stuba 100x100
Cover for 100x100 pillar




F23
Rozeta stuba 60x60
Rosette for 60x60 pillar




F22
Rozeta stuba 80x80
Rosette for 80x80 pillar




F25
Rozeta stuba 100x100
Rosette for 100x100 pillar




F16
Kotva stuba 60x60
Anchor for 60x60 pillar



F15
Kotva stuba 80x80
Anchor for 80x80 pillar




F17
Kotva stuba 100x100
Anchor for 100x100 pillar




F40L

Nosač rolnice za klizne kapije
Sliding gate roller bracket




F40D

Nosač rolnice za klizne kapije
Sliding gate roller bracket




F41

Nosač rolnice za klizne kapije
Sliding gate roller bracket




F46


Poklopac profila F06
Cover for the F06 profile



F47

Poklopac profila F05
Cover for the F05 profile






Opcije lamela za F04
lamella options for F04


F01

L2060 opciono
L2060 profile is optional




F02

L2060 opciono
L2060 profile is optional




F03


L2060 opciono
L2060 profile is optional



TM90

L2060 opciono
L2060 profile is optional








Opcije lamela za F05
lamella options for F05

F03





TM90






Maksimalna visina stubova:
Maximum height of pillars:


K100100	2200mm
K8080	2000mm
K4060	1500mm
K6060	1200mm










Maksimalna visina stubova:
Maximum height of pillars:




K100100	2200mm
K8080	2000mm
K4060	1500mm
K6060	1200mm










Spajanje uglova na ramovima za
kapije se vrši zavarivanjem
The corners of the gate frames are
joined by welding






Spajanje uglova na ramovima za
kapije se vrši zavarivanjem
The corners of the gate frames are
joined by welding



Spajanje uglova na ramovima za
kapije se vrši zavarivanjem
The corners of the gate frames are
joined by welding

VIŠE INFORMACIJA O SISTEMIMA ZA PROZORE I VRATA
MORE INFORMATION ABOUT WINDOWS AND DOOR SYSTEMS



T-FENCE



SISTEM ALUMINIJUMSKIH OGRADA ALUMINUM FENCE SYSTEM

TEHNOMARKET d.o.o.

Skadarska 73
26 000 Pančevo
Srbija
Tel: +381 13 307 700
Fax: +381 13 307 799
E-mail: plasman@tehnomarket.com

PRODAJA PROFILA PROFILE SALES

Skadarska 73
26 000 Pančevo
Srbija
Tel: +381 13 307 760
Fax: +381 13 307 700
E-mail: profil@tehnomarket.com

www.tehnomarket.com

