




TRGOVAČKI PROFILI / INDUSTRIAL PROFILES

DESIGNED AND MANUFACTURED BY TEHNOMARKET



Molimo Vas da obratite pažnju na važne napomene u katalogu koje su sastavni deo tehničke dokumentacije.

Informacije i uputstva u ovom katalogu su u trenutku štampanja, prema našim saznanjima, ispravna i odgovaraju stvarnom stanju. Kompanija TEHNOMARKET d.o.o. ne snosi nikakvu odgovornost za eventualne greške u štampi i navodima.

Korišćenje logoa i imena TEHNOMARKET dopušteno je isključivo u slučaju korišćenja svih sastavnih delova sistema u sklopu, propisanom kataloškom dokumentacijom izrađenom od strane kompanije TEHNOMARKET d.o.o.

Zabranjeno je koristiti pojam i logotip TEHNOMARKET ukoliko proizvodi i sklopovi koji se prezentuju potencijalnim klijentima delimično odgovaraju ili uopšte ne odgovaraju proizvođačkoj specifikaciji i sklopnim crtežima prikazanim u zvaničnoj dokumentaciji.

Umnožavanje i dalja distribucija ove dokumentacije dozvoljena je isključivo uz pisanu saglasnost kompanije TEHNOMARKET d.o.o.

Please read the important notices that are integral part of presented technical documentation.





Information and instructions contained in this catalogue are, to the best of our knowledge, correct at the time of printing. Company TEHNOMARKET d.o.o. cannot be held responsible for any quoted or printed mistakes.

The usage of TEHNOMARKET logo is allowed only when product and its final assembly entirely match official technical documentation issued by company TEHNOMARKET.d.o.o.

It is strictly forbidden to use the logo and term TEHNOMARKET if the products presented to potential clients and third parties do not match, partially or as a whole, the official manufacturer's specification and technical drawings as presented/contained in the official technical documentation.

Copying and further distribution of any of these materials is allowed only with written consent issued by company TEHNOMARKET d.o.o.





PREGLED TRGOVAČKIH PROFILA ***COMMERCIAL PROFILES OVERVIEW***


izdanje 2023.V12

DESIGNED AND MANUFACTURED BY TEHNOMARKET




U4050

0,693 kg/m'




TM58

0,525 kg/m'




U5050

0,862 kg/m'




TM31

0,297 kg/m'




V09





0,720 kg/m'







TM60


0,419 kg/m'










Horizontalni položaj
Horizontal position




Vertikalni položaj
Vertical position








Horizontalni položaj
Horizontal position




Vertikalni položaj
Vertical position




111

2,211 kg/m'




112

2,691 kg/m'




113



3,027 kg/m'



114


3,124 kg/m'






TM52

2,211 kg/m'




TM53

2,764 kg/m'




TM54



2,091 kg/m'



TM55

2,502 kg/m'








V05 *

0,385 kg/m'

R1:1



R1:2




*Štipajući profil za prihvat panela debljine 3-4mm (npr. **Larson®** aluminijumskog kompozitnog panela)

*Clipping profile for holding 3-4mm thick panel (i.e. **Larson®** aluminium composite panel)


V15 *

0,318 kg/m'

R1:1




R1:2



larson® debljine 4mm
4mm thick **Larson®**


larson® debljine 2mm
2mm thick **Larson®**

Aluminijumski lim
debljine 2mm
2mm thick aluminum
sheet




*Nazubljeni "U" profil za prihvat panela debljine 4mm ili dvostruko savijenog panela debljine 2mm (aluminijumskog kompozitnog panela, aluminijumskog/bakarnog/... lima itd)

*Dented "U" profile for holding 4mm thick panel or double folded 2mm thick panel (aluminium composite panel, aluminium/copper/... sheet etc)



TM47

1,112 kg/m'










TMP13

Plastični čep za TM47
Plastic plug for TM47


110

0,133 kg/m'







TM78
0,595 kg/m'




TM77
0,523 kg/m'




TM76
0,447 kg/m'







TM75
0,369 kg/m'




TM74
0,216 kg/m'





R1:2






TM102
2,236 kg/m'

R1:1






TMFP25

R1:1







R1:2








R1:2







TM36

0,177 kg/m'






TM42

0,272 kg/m'



TM43





0,130 kg/m'



Mogućnost primene kod prozora i vrata raznih vrsta i materijala
Possibility of application to number of unit types and materials

TM10




0,381 kg/m'



Četkice
Brushes

120


0,281 kg/m'






Mogućnost primene kod prozora i vrata raznih vrsta i materijala
Possibility of application to number of unit types and materials

TM81
0,102 kg/m'

R1:1





TM80
0,946 kg/m'



Fiksiranje šrafova 4,2x13 ili 4,2x16
Mounting by the means of 4,2x13 or 4,2x16 screws



Kod velikih dužina šipke (visine pozicije)
dodati umetak od nerđajućeg čelika
For increased bar lengths (unit heights)
the additional stainless steel inserts
should be applied



Mogućnost primene kod prozora i vrata / pregrada raznih vrsta i materijala, i sa unutrašnje i sa spoljašnje strane
Possibility of application to number of unit / partition types and materials from both interior and exterior side


TM85

0,289 kg/m'





TMG7

EPDM zaptivka
EPDM gasket



Fiksiranje na staklo pomoću dvostrano
lepljive trake 3M VHB 4941 (pratiti
uputstvo proizvođača)
*Mounting to the glass pane by the means
of double-sided adhesive tape 3M VHB
4941 (follow the manufacturer's
instructions)*






Mogućnost primene na sve vrste stakla kod svih vrsta pozicija
Possibility of application to all types of glass for all types of units

TM79

1,113 kg/m'





Profil rama strukturalnog stakla
Structural glazing edge profile



TM43

0,130 kg/m'





Fiksiranje šrafova 4,2x13 ili 4,2x16
Mounting by the means of 4,2x13 or
4,2x16 screws



Četkice
Brushes

TM63


0,427 kg/m'




Četkice
Brushes

TM30


0,342 kg/m'



Lamela grilje se montira u ram od aluminijuma /
drвета / čelika itd. preko plastičnih umetaka
*Louvres are mounted to the aluminium / wooden /
steel etc. frame by the means of PVC inserts*




Grilje u okviru fiksnog rama
Louvres within the fixed frame




TMGP1




Plastični umetak za lamelu grilja (par)
Plastic insert for louveres (pair)



Rotiranje lamele u okviru rama
Rotation of louveres within the frame




Grilje u okviru otvorivog elementa
Louvres within the opening unit




Mogućnost ugradnje ili unutar ili sa spoljne strane aluminijumskog / čeličnog / ... rama
Possibility of installation either within or to the outer side of aluminium / steel / ... frame


Opcije ugradnje žaluzina Louvres mounting options





Opcija - žaluzine u okviru aluminijumskog/čeličnog/... rama
Option - louvres within an aluminium/steel/... frame




Opcija - žaluzine ugranjene sa spoljne strane aluminijumskog/čeličnog/... rama
Option - louvres mounted to the outer side of aluminium/steel/... frame



TM104
1,599 kg/m'




TM105
1,154 kg/m'




Mogućnost ugradnje ili unutar ili sa spoljne strane aluminijumskog / čeličnog / ... rama
Possibility of installation either within or to the outer side of aluminium / steel / ... frame

Opcije ugradnje žaluzina
Louvres mounting options




Opcija - žaluzine u okviru aluminijumskog/čeličnog/... rama
Option - louvres within an aluminium/steel/... frame


Fiksiranje šrafovim
Fixing by using screws



R1:4





Opcija - žaluzine ugrađene sa spoljne strane aluminijumskog/čeličnog/... rama
Option - louvres mounted to the outer side of aluminium/steel/... frame



R1:4

TM44

0,278 kg/m'





TMA13

Livena aluminijumska ugaona spojnica za TM44
Cast aluminum corner joint for TM44




TMSL13

0,261 kg/m'



E.P.2160

Plastična ugaona spojnica za TMSL13
Plastic corner joint for TMSL13





Mogućnost fiksiranja u plafon ili zid
Possibility of fixings to the ceiling or to the wall

TM38


0,772 kg/m'

R1:1




TMPB18*

Čep za TM38
Plug for TM38




R1:2




Opcije sa/bez prikrivanja klizača ukrasnim maskama od aluminijumskih profila različitih dimenzija i dizajna

Option w/o covering the slider section with decorative mask of aluminium profiles in variety of sizes and designs




*Čepovi se prave od aluminijumskih kompozitnih panela debljine 4-6mm u velikom izboru boja

*Plugs are made of aluminium composite panels in thickness 4-6mm in variety of colors




TMHL101

0,518 kg/m'




TMHL104

0,513 kg/m'




TMHL113

0,582 kg/m'



TMHL116





0,241 kg/m'




103

0,729 kg/m'

Patent ugaona spojnica
Nailed corner joint





EPDM zaptivke
EPDM gaskets




TM33

0,158 kg/m'





Pogonska letva za EURO1 žljeb
EURO1-grooved sliding rod





119

0,071 kg/m'




Čep praga za EURO1 žljeb
EURO1-grooved threshold plug




Profil praga
Threshold profile



Donji profil štoka
Bottom frame profile




TM91
2,511 kg/m'







TM90
1,069 kg/m'






Primena na fasadi Facade application



Horizontalni položaj Horizontal disposition




Fiksni
Fixed



Okretni
Turn




Vertikalni položaj Vertical disposition




Primena na fasadi
Facade application

R1:8




Horizontalni položaj
Horizontal disposition




TM92

4,553 kg/m'




TM93


3,074 kg/m'



TM96




0,235 kg/m'






Moguće kombinacije
Possible combinations

R1:4







Broj profila TM92 u okviru sklopa zavisi od dizajnerskog rešenja,
predviđene noseće konstrukcije i statičkog proračuna
*Number of TM92 profiles within the assembly depends on
design intent, proposed supporting structure and structural
analysis*



Čepovi se prave od aluminijumskih kompozitnih panela debljine 4-6mm u velikom izboru boja
Plugs are made of aluminium composite panels in thickness 4-6mm in variety of colors




R1:4






Moguće kombinacije
Possible combinations

R1:4






Broj profila TM92 u okviru sklopa zavisi od dizajnerskog rešenja, predviđene noseće konstrukcije i statičkog proračuna
Number of TM92 profiles within the assembly depends on design intent, proposed supporting structure and structural analysis




Čepovi se prave od aluminijumskih kompozitnih panela
debljine 4-6mm u velikom izboru boja
*Plugs are made of aluminium composite panels in
thickness 4-6mm in variety of colors*



R1:4



TM106
1,310 kg/m'




R1:2




Način spajanje je isti kao kod profila TM92/TM93
The joining method is the same as with the TM92/TM93 profiles



Čepovi se prave od aluminijumskih kompozitnih panela debljine 4-6mm u velikom izboru boja
Plugs are made of aluminium composite panels in thickness 4-6mm in variety of colors




Primena na fasadi
Facade application





Vertikalni položaj
Vertical disposition




Horizontalni položaj
Horizontal disposition





TMF56
1,941 kg/m'


R1:1




Moguće kombinacije
Possible combinations

R1:4

TMF54




TMF15




TMF4

TMF15




TMF20




TMF20

TMF15




TMF4




TMF54

TMF20





TMF5



TMF54










TMF15






Čepovi se prave od aluminijumskih kompozitnih panela debljine 4-6mm u velikom izboru boja
Plugs are made of aluminium composite panels in thickness 4-6mm in variety of colors



R1:4




Primena na fasadi Facade application




Vertikalni položaj
Vertical disposition




Horizontalni položaj
Horizontal disposition




Primena na fasadi
Facade application



TM99
2,330 kg/m'




Čepovi se prave od aluminijumskih kompozitnih panela
debljine 4-6mm u velikom izboru boja
*Plugs are made of aluminium composite panels in
thickness 4-6mm in variety of colors*




TMPB19
Čep za TM99
Plug for TM99

Primena na objektima
Application on objects


Horizontalni položaj
Horizontal disposition




Vertikalni položaj
Vertical disposition




Ograde i pregrade
Fences and partition



Pergole
Pergolas





Ograde i pregrade
Fences and partition




TM103


2,429 kg/m'



Ekspandirajuća traka
Expanding foam tape




R1:2



TM100

3,622 kg/m'



Nosač lamele brisoleja
Fin bracket (supporting frame) profile



TM101



2,429 kg/m'

Glavni noseći profil - osovina
Supporting axle profile



R1:4


Detalj A
Detail A



X - Raspon nosača lamele zavisi od specifičnosti projekta (osobina panela, količine i prirode perforacije itd.) i statičkog proračuna


X - Supporting frame span depends on the specificity of the project (panel properties, volume and type of perforation etc.) and structural analysis

Detalj A
Detail A




Opcija oblaganja: pun aluminijumski lim #2mm
Cladding option: solid aluminium sheet #2mm

Detalj A
Detail A




Opcija oblaganja: al. kompozitni panel #3mm ili #4mm
Cladding option: al. composite panel #3mm or #4mm

Detalj A
Detail A




Opcija fiksiranja: vijak
Fixing option: screw

Detalj A
Detail A





Opcija fiksiranja: pop-nitna
Fixing option: blind rivet


Primena na fasadi Facade application



Vertikalni položaj
Vertical disposition




Horizontalni položaj
Horizontal disposition




Maksimalna proizvodna dužina lamele - 3000mm
Maximum sunshade production length - 3000mm


Mogućnosti perforacije Perforation possibilities




Okrugli / elipsasti otvori
Round / ellipse openings




Duguljasti otvori
Elongated openings



Kvadratni / pravougaoni otvori
Square / rectangular openings



Nakrivljeni kvadratni / pravougaoni otvori
Rotated square / rectangular openings




Posebni šabloni
Custom-made patterns



*Oko dizajna perforacije posavetovati se sa **Tehnomarket** službom prodaje panela
*Consult with **Tehnomarket** panel sales department about the perforation design ideas

R1:1

TM51
0,493 kg/m'




TM50
0,419 kg/m'



Prikaz sklopa
Assembly preview


R1:1

TM51



TM50


TM51



TM50



Fiksiranje je moguće u 3 tačke, u zavisnosti od
konkretne situacije
*Fixing is possible at 3 points, depending on a
particular situation*

R1:2




TMF7

0,553 kg/m'




TMF41

0,591 kg/m'






TMF17

0,216 kg/m'





TMFP7

Plastični čep za TMF17
Plastic plug for TMF17



TMF61



0,841 kg/m'



Mogućnost montiranja kapa vertikalno i horizontalno.
Possibility of installation of cover cap profiles vertically and horizontally.



TMF3

0,430 kg/m'





TMF33

0,430 kg/m'





TMF4

0,264 kg/m'





TMF5

0,238 kg/m'





TMF58

0,253 kg/m'



TMF27 *

0,209 kg/m'



*Zbog svoje geometrije, postavlja se na kosoj ravni (za razliku od ostalih kapa, ne dozvoljava zadržavanje vode)

**Due to its geometry, it is installed inclined (unlike other cap profiles, it prevents water retention)*


TMF54

2,088 kg/m'





TMF15

0,931 kg/m'



TMF20


0,963 kg/m'



Mogućnost montiranja vertikalno i horizontalno.
Possibility of installation vertically and horizontally.



TMPB20

Čep za TMF54
Plug for TMF54






TMPB21

Čep za TMF15
Plug for TMF15




TMPB22

Čep za TMF20
Plug for TMF20






Čepovi se prave od aluminijumskih kompozitnih panela debljine 4mm u velikom izboru boja
Plugs are made of aluminium composite panels in thickness 4mm in variety of colors




TM40
0,230 kg/m'

TM39
0,266 kg/m'




TM34

0,650 kg/m'





TM134


0,774 kg/m'



Mogućnost montiranja na sve tipove potkonstrukcije (aluminijumsku, drvenu, čeličnu itd.)
Possibility of installation to all types of substructure (aluminium, wooden, steel etc.)



Vertikalni položaj
Vertical position




Horizontalni položaj
Horizontal position

TM SP-1


0,784 kg/m'

170.4





TM SP-2


0,281 kg/m'



Mogućnost montiranja na sve tipove potkonstrukcije (aluminijumsku, drvenu, čeličnu itd.)
Possibility of installation to all types of substructure (aluminium, wooden, steel etc.)



Horizontalni položaj
Horizontal position




Vertikalni položaj
Vertical position

R1:1


TM MO-110

0,382 kg/m'




TM MO-126

0,207 kg/m'




TM MO-124

0,308 kg/m'










TM MO-127

0,275 kg/m'





R1:2






Zatvoren položaj
Closed position




Otvoren položaj
Open position



TM45


0,414 kg/m'

R1:1





TM46


0,192 kg/m'




TMG3



Mogućnost montiranja na kutijaste profile raznih dimenzija i materijala (aluminijum, čelik, drvo itd.)
Possibility of installation to the box profiles in number of sizes and materials (aluminium, steel, wood etc.)




Detalj A
Detail A





Detalj A
Detail A

Detalj A
Detail A






Detalj B
Detail B





Detalj B
Detail B





Široka primena u reklamnoj industriji
Wide application in signage industry





Profil koji rotira stoji u položaju zahvaljujući opruzi
Rotating profile is held in position by the means of spring





TMA198
Metalna opruga
Metal spring clips



TM66
1,309 kg/m'




Zaptivke
Gaskets



TM37

1,026 kg/m'



TMG2





TMG3




3-4

5-6



Mogućnost postavljanja na bilo koju vrstu konstrukcije (čelik, aluminijum, drvo itd.)
Possibility of mounting to any kind of structure (steel, aluminum, wood etc.)

Kvadratne šipke
Square bars




Oznaka Code	a	kg/m
PK55	55	8,319
PK80	80	17,600
PK110	110	33,275

Pravougaone šipke
Rectangular bars




Oznaka Code	a	b	kg/m
PK5070	70	50	9,625
PK10100	100	10	2,750

Kvadratne cevi
Square pipes




Oznaka Code	a	s	kg/m
K1414	14	1,0	0,143
K1818	18	1,0	0,187
K2020	20	1,0	0,205
K2020	20	1,5	0,305
K2525	25	1,2	0,315
K3030	30	1,0	0,319
K3030	30	1,2	0,380
K3030	30	1,5	0,470
K4040	40	1,2	0,512
K4040	40	2,0	0,836
K5050	50	2,0	1,064
K6060	60	1,3	0,839
K8080	80	2,0	1,716

Pravougaone cevi
Rectangular pipes




Oznaka Code	a	b	s	kg/m
K1218	18	12	1,0	0,154
K1530	30	15	1,5	0,347
K1822	22	18	1,0	0,209
K18100	100	18	1,5	0,949
K2040	40	20	1,2	0,380
K2040	40	20	1,5	0,470
K2040	40	20	2,0	0,616
K2045	45	20	1,5	0,512
K2060	60	20	1,5	0,635
K2080	80	20	1,2	0,644
K2080	80	20	1,5	0,800
K20150	150	20	1,7	1,558
K2585	85	25	1,2	0,710
K25130	130	25	2,0	1,661
K4050	50	40	2,0	0,946
K4060	60	40	1,7	0,903
K4060	60	40	2,5	1,306
K4080	80	40	1,2	0,776
K50100	100	50	2,0	1,606
K6070	70	60	2,0	1,386
K60120	120	60	1,5	1,460

Pravougaone cevi
Rectangular pipes




Oznaka Code	a	b	s/s'	kg/m
K70130	130	70	2,0/3,5	2,700

Flahovi
Flat profiles




Oznaka Code	a	s	kg/m
FL10-3	10	3,0	0,083
FL25-4	25	4,0	0,275
E09	73	10,0	2,010
FL120-5	120	5,0	1,650

L profili
L profiles




Oznaka Code	a	s	kg/m
L1010	10	1,5	0,076
L1515	15	1,5	0,118
L2020	20	2,0	0,209
L2525	25	2,0	0,237
L3030	30	2,0	0,319
L4040	40	2,0	0,429
L4040	40	4,0	0,836
L7070	70	8,0	2,904
L100100	100	4,0	2,156

T profili
T profiles




Oznaka Code	a	b	s	kg/m
T2020	20	20	2,0	0,209
T2525	25	25	2,0	0,264
T3030	30	30	2,0	0,319

Pravougaone cevi
Rectangular pipes




Oznaka Code	a	b	s	r	kg/m
K2030	30	20	1,2	3	0,301

L profili
L profiles



Oznaka Code	a	b	s	kg/m
L1015	15	10	1,5	0,097
L1030	10	30	2,0	0,209
L1050	50	10	2,0	0,319
L1530	30	15	2,0	0,237
L2030	30	20	2,0	0,264
L2040	40	20	2,0	0,319
L2040	40	20	3,2	0,500
L2060	60	20	2,0	0,429
L3050	30	50	2,0	0,429
L4060	60	40	2,0	0,539
L4080	80	40	5,0	1,581
L6080	80	60	2,0	0,759
L40100	100	40	6,0	2,211

U profili
U profiles




Oznaka Code	a	b	s/s'	kg/m
U1515	15	15	1,5/1,5	0,173
U5050	50	50	2,5/2,0	0,862
U405040-2	50	40	2,0/2,0	0,693

Okrugle šipke
Bars



Oznaka Code	d	kg/m
PF4	4	0,035
PF12	12	0,311
PF18	18	0,700
PF20	20	0,864
PF22	22	1,045
PF45	45	4,374
PF60	60	7,775
PF100	100	21,598

Cevi
Pipes



Oznaka Code	d	s	kg/m
F7	7	1,0	0,052
F10	10	1,2	0,091
F12	12	1,6	0,144
F13,7	13,7	1,2	0,129
F20	20	1,5	0,240
F25	25	1,5	0,305
F32	32	1,5	0,395
F40	40	1,5	0,499
F50	50	2,0	0,829
F60	60	1,5	0,758





www.tehnomarket.com



VIŠE INFORMACIJA O SISTEMIMA ZA PROZORE, VRATA I FASADE
MORE INFORMATION ABOUT WINDOWS, DOOR AND FACADE SYSTEMS



serija **TMH**

ALUMINIJUMSKI SISTEMI ZA PROZORE, VRATA I PREGRADE
Novi generički Memočlanak inozida



DIZAJNIRAN I PROIZVEDEN U TEHNOMARKETU



LINEAL

ALUMINIJUMSKI SISTEMI ZA PROZORE I VRATA

DIZAJNIRAN I PROIZVEDEN U TEHNOMARKETU



ALUMINIK **CS55**


SISTEMI ALUMINIJUMSKIH OSTAKLJENIH FASADA

DIZAJNIRAN I PROIZVEDEN U TEHNOMARKETU




VENT

SISTEMI PODKONSTRUKCIJA ZA VENTILISANE FASADE



DIZAJNIRAN I PROIZVEDEN U TEHNOMARKETU



TRGOVAČKI PROFILI / INDUSTRIAL PROFILES

UPRAVNA ZGRADA HEADQUARTERS

Skadarska 73
26 000 Pančevo
Srbija
Tel: +381 13 307 700
Fax: +381 13 307 799
E-mail: plasman@tehnomarket.com

PRODAJA PROFILA PROFILE SALES

Skadarska 73
26 000 Pančevo
Srbija
Tel: +381 13 307 760; 307 752
Fax: +381 13 307 799
E-mail: profil@tehnomarket.com

www.tehnomarket.com

